

IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Original) A method comprising:
modeling a circadian rhythm,
calculating a cognitive level of a person based on the person's sleep/wake data,
calculating a predicted cognitive performance based on said circadian rhythm
and said cognitive level.
2. (Currently Amended) ~~A system for performing the method according to claim 1, said system~~ comprising:
at least one input device for entering sleep/wake data,
a microprocessor including
means for modeling a circadian rhythm,
means for calculating a cognitive level of a person based on the person's
sleep/wake data, and
means for calculating a predicted cognitive performance based on said
circadian rhythm and said cognitive level, and
a display to show the predicted cognitive performance.
3. (Previously Presented) A computer-readable medium having
computer-executable instructions for predicting a cognitive performance level of an
individual, the computer-executable instructions comprising:

first program instruction means for modeling a circadian rhythm,
second program instruction means for calculating a cognitive level of a person
based on the person's sleep/wake data, and
third program instruction means for calculating a predicted cognitive performance
based on said circadian rhythm and said cognitive level.

4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)
14. (Cancelled)
15. (Cancelled)
16. (Cancelled)
17. (Cancelled)
18. (Cancelled)
19. (Cancelled)
20. (Cancelled)
21. (Cancelled)
22. (Cancelled)
23. (Cancelled)
24. (Cancelled)
25. (Cancelled)
26. (Cancelled)

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Cancelled)

31. (Cancelled)

32. (Cancelled)

33. (Cancelled)

34. (Cancelled)

35. (Previously Presented) A method for providing a cognitive performance level comprising:

receiving a data series representing at least one wake state and at least one sleep state,

selecting a function based on the data series, wherein the function is selected from a group consisting of a wake function, a sleep function, and a sleep inertia function, where

the wake function is expressed as follows

$$w(t) = C_{t-1} - k_w$$

where k_w is a positive function,

the sleep function is expressed as follows

$$s(t) = C_{t-1} + (100 - C_{t-1}) / k_s$$

where k_s is a time constant, and

the sleep inertia function is expressed as follows

$$i(t) = C_{sw} * [0.75 + 0.025 (t - t_{LS}) - (0.025 (t - t_{LS}))^2]$$

where t_{LS} is time when the last sleep state occurred and C_{SW} is the cognitive level at the last sleep state,

determining a cognitive performance capacity using the selected function,
modulating the cognitive performance capacity with a time of day value, and
providing the modulated value.

36. (Cancelled)